Appl. No. 10/086,340 Response dated July 12, 2004 Response to Office Action of January 12, 2004

Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (currently amended): A display support for releasably and rigidly holding a flat display comprising:

- (a) a base frame member;
- (b) first and second side frame members extending upwardly from opposing ends of said base frame member, said side frame members and said base frame member each having a substantially "U" shaped channel formed therein, said channel in said first side frame member facing said channel in said second side frame member and said channel in said base frame member facing upwardly to form a continuous channel whereby said display slides into and is supported by said channel defined by said frame members; and
- (c) support means for supporting said frame members and attaching to a towing hitch on a vehicle, said support means comprising:
 - (i) a first support member having first and second ends, said first end having a complimentary trailer hitch attachment means for releasable attachment to mating with the towing hitch on the vehicle; and
 - (ii) a second support member connected to the second end of said first support member and extending substantially perpendicularly therefrom, said base frame member attached to said second support member whereby said display is positioned

Page 2 of 7

Appl. No. 10/086,340 Response dated July 12, 2004 Response to Office Action of January 12, 2004

above said towing hitch.

Claim 2 (original): A display support according to claim 1, wherein said flat display is a sign.

Claim 3 (currently amended): A display support according to claim 1, wherein said support means comprises [[at]] a first bracket having opposing ends connected to said first and second side frame members for mounting said frame members to said second support member.

Claim 4 (previously presented): A display support according to claim 3 wherein said <u>first</u> bracket includes apertures therein for mounting said frame members to said second support member.

Claim 5 (previously presented): A display support according to claim 3, further comprising at least one adjustable stabilizing member for attaching to said first bracket and said second support member whereby said frame members are stabilized on said second support member.

Claim 6 (original): A display support according to claim 1, further comprising at least one horizontal bracket having opposing ends connected to said first and second side frame members and having apertures therein for attaching accessories such as lights and license plates.

Page 3 of 7

Appl. No. 10/086,340 Response dated July 12, 2004

Response to Office Action of January 12, 2004

Claim 7 (previously presented): A display support according to claim 1, wherein said first support member is positioned horizontally, and said second support member is positioned vertically.

Claim 8 (previously presented): A display support according to claim@herein said support means comprises a second bracket connected to said first and second side frame members proximate top ends of said first and second side frame members, and further comprising at least one adjustable stabilizing member for attaching to said second bracket and said second support member whereby said frame members are stabilized on said second support member.

Claim 9 (canceled).

Claims 10-13 (withdrawn).

Claim 14 (canceled).

Claim 15 (original): A display support for holding a flat display comprising:

- (a) a single sheet of material having a plurality of apertures formed therein;
- (b) said apertures adapted for permitting said flat display to be attached to said sheet of material by fasteners extending through said flat display and said apertures;
- (c) a horizontal support member having first and second ends, said first end having

Page 4 of 7

Appl. No. 10/086,340

Response dated July 12, 2004

Response to Office Action of January 12, 2004

attachment means for releasable attachment to a towing hitch on an automobile; and

(d) a vertical support member connected to the second end of said horizontal support

member and extending upwardly therefrom, said sheet of material mounted on said

vertical support member by a fastener extending through at least one of said apertures

whereby said display is positioned above said towing hitch.

Claim 16 (withdrawn).

Claim 17 (previously presented): A display support for holding a flat display according tdaim 15.

wherein said apertures comprise four horizontally oriented rectangular apertures, each of said

apertures positioned proximate a corner of said sheet and for receiving a strap extending vertically

from said sheet of material.

Claim 18 (original): A display support for holding a flat display according to claims 17 wherein said

apertures further comprise two pairs of vertically oriented rectangular apertures positioned on

opposing sides of said sheet of material for receiving straps extending horizontally from said sheet

of material.

Page 5 of 7